



German quality you can trust



## Aluminum Profile Collection Frame • Edge • Handle

April 2021

Technik für Möbel



# Aluminium Profile Collection



Hettich offers a range of Aluminium profiles which cater to the contemporary trends of aesthetics in home interiors. Hettich's range of Aluminium Profiles enhances the appearance of your kitchen cabinet doors with a sleek elegant look. The profiles are easy to assemble and can be installed with the help of compatible accessories available with Hettich.

The profiles are mainly used with Glass Panels of varying thicknesses and provide a seamless everlasting sleek solution for your kitchen and wardrobe shutters.



Overhead Storages



Bottom Cabinets



Sliding Doors



Handles



19 mm Straight Frame Profile

5



45 mm Straight Econ Frame Profile

5



45 mm Straight Frame Profile

6



45 mm Straight Profile - 6mm Glass

6



45 mm Straight Stick On Profile

6



55 mm Straight Profile

7



Edge Profiles

8



Mid Way Profile

8



Gola Profile

9



Gola Profile for vertical use

10



Sink Counter Profile with Connectors

11




Profile Handles

12-14

# Aluminium Profile Collection

## ▶ Aluminum Profiles Finishes

### Aluminum Profiles Finishes



# Aluminium Profile Collection

- ▶ 19 mm & 45 mm Straight Frame with Compatible Handle Profile
- ▶ 4 mm Glass Panel Shutters

## 19 mm Straight Frame Profile & Handle



- ▶ Profile for 4 mm Thk Glass Panels
- ▶ Available in multiple finishes
- ▶ Angle connectors to be procured separately (Refer Page no. 16)
- ▶ Glass Size (HxW) = Frame height less 26 mm x Frame width less 26 mm

Description	Profile Section	Glass Thickness	Width (mm)	Length (mm)	Finish	Article No.	PU	MRP
19 mm Straight Frame Profile		4 mm	19	3000	SA	9 288 843	04	1,186
					CP	9 216 230	04	1,530
					SS	9 119 030	04	2,219
19 mm Straight Frame Profile with handle		4 mm	19	3000	SA	9 283 472	04	1,390
					CP	9 216 231	04	1,910
					SS	9 119 044	04	1,914

## 45 mm Straight Econ Frame Profile & Handle for Small Shutters



- ▶ Profile for 4 mm Thk Glass Panels
- ▶ Compatible for small shutters (Max. 750 mm Height and 450 mm Width)
- ▶ Angle connectors to be procured separately (Refer Page no. 16)
- ▶ Glass Size (HxW) = Frame height less 7 mm x Frame width less 7 mm

Note: Handle width should not be considered in Frame size

45 mm (Econ) Straight Frame Profile for small shutters		4 mm	45	3000	SA	9 283 532	04	1,402
					SS	9 299 243	04	2,290
					BL	9 299 245	04	2,290
					CP	9 300 514	04	2,290
45 mm (Econ) Straight Frame Profile with L Handle for small shutters		4 mm	45	3000	SA	9 283 533	04	1,876
					SS	9 299 244	04	2,690
					BL	9 299 246	04	2,690
					CP	9 300 479	04	2,690

Items marked with \* are available on request

• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black



# Aluminium Profile Collection

- ▶ 45 mm Straight Frame with Compatible Handle Profile
- ▶ 4 mm & 6 mm Glass Panel Shutters

## 45 mm Straight Profile & Handles



- ▶ Profile for 4 mm Thk Glass Panels
- ▶ Available in multiple finishes
- ▶ Angle connectors to be procured separately (Refer Page no. 16)
- ▶ Glass Size (HxW) = Frame height less 7 mm x Frame width less 7 mm

Note: Handle width should not be considered in Frame size

Description	Profile Section	Glass Thickness	Width (mm)	Length (mm)	Finish	Article No.	PU	MRP
45 mm Straight Frame Profile		4 mm	45	3000	SA	9 283 473	04	1,673
45 mm Straight Frame Profile with L Handle		4 mm	45	3000	SA	9 283 485	04	2,193
45mm Straight Frame Profile with C Handle		4 mm	45	3000	SA	9 283 474	04	2,207
45 mm Straight Frame Profile with F Handle		4 mm	45	3000	SA	9 283 494	04	2,605
45mm Straight Frame Profile for 6mm glass		6 mm	45	3000	SA	9 283 490 *	04	1,799
45 mm Straight Frame Profile with L Handle for 6 mm glass		6 mm	45	3000	SA	9 283 493 *	04	2,356
45 mm Straight frame Stick on Profile		4 mm	45	3000	SA	9 283 488	04	1,390
					CP	9 302 254	04	2,490
					SS	9 302 252	04	2,490
45 mm Straight Frame Stick On Profile with L Handle		4 mm	45	3000	SA	9 283 487	04	2,003
					CP	9 302 251	04	2,890
					SS	9 302 229	04	2,890

• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black

# Aluminium Profile Collection



- ▶ 55 mm Straight Frame with Compatible Handle Profile & Connectors for All Profiles
- ▶ 4 mm Glass Panel Shutters

## 55 mm Straight Profile & Handle



- ▶ Profile for 4 mm Thk Glass Panels
- ▶ Available in multiple finishes
- ▶ Angle connectors to be procured separately (Refer Page no. 16)
- ▶ Glass Size (HxW) = Frame height less 7 mm x Frame width less 7 mm

Note: Handle width should not be considered in Frame size

Description	Profile Section	Glass Thickness	Width (mm)	Length (mm)	Finish	Article No.	PU	MRP
55 mm Straight Frame Profile		4 mm	55	3000	SA	9 288 842	04	2,099
55 mm Straight Frame Profile with C Handle		4 mm	55	3000	SA	9 288 844	04	2,541



• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black


# Aluminium Profile Collection

- ▶ Special Profiles
- ▶ Edge Profiles & Mid Way Joining Profiles

## Edge Profiles



- ▶ Edge profile for 18 mm / 22 mm Thk Wooden Panels
- ▶ Available in multiple finishes
- ▶ Used to provide an aesthetic appeal and protect the edges of panels



Description	Profile Section	Edge Thickness	Width (mm)	Length (mm)	Finish	Article No.	PU	MRP
Edge Profile (22 mm)		19 mm board thickness	-	3000	SA	9 283 498	08	444
					CP	9 302 261	08	510
					SS	9 299 208	08	510
Edge Profile (25 mm)		22 mm board thickness	-	3000	SA	9 283 500	08	472
					CP	9 302 262	08	543
					SS	9 299 209	08	543
Edge Profile for Wall Cabinet		-	-	3000	SA	9 283 517	12	1,001
					SS	9 299 223	12	1,242

## Mid Way Joining Profile



- ▶ Mid way joining profile for 4 mm / 5 mm Thk Glass Panels
- ▶ Available in multiple finishes



Description	Profile Section	Glass Thickness	Width (mm)	Length (mm)	Finish	Article No.	PU	MRP
Mid Way Joining profile		4 / 5 mm	17	3000	CP	9 216 234	08	1,276
					SS	9 148 139	08	1,242

• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black



# Aluminium Profile Collection

- ▶ Special Profiles
- ▶ Gola Profiles for Cabinets

## Gola Profiles



- ▶ Gola profile for 18 mm / 22 mm Thk Wooden Panels
- ▶ Available in multiple finishes
- ▶ Used to provide an aesthetic appeal and protect the edges of panels



Description	Profile Section	Length (mm)	Finish	Article No.	PU	MRP
Gola profile C Type		3000	SA	9 283 515	10	1,204
			SS	9 299 221	10	1,890
			BL	9 299 226	10	1,890
			CP	9 300 522	10	1,890
Gola profile L Type		3000	SA	9 283 516	10	1,001
			SS	9 299 222	10	1,590
			BL	9 299 225	10	1,590
			CP	9 300 521	10	1,590





• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black

# Aluminium Profile Collection

- ▶ Special Profiles
- ▶ Gola Profile for vertical use & Sink Counter Profile with Connectors

## Gola Profile for vertical use



Description	Profile Section	Length ( mm)	Finish	Article No.	PU	MRP
Gola profile (Vertical application)	 Double side C profile	3000	SA	9 293 474	4	1,795
			SS	9 302 257	4	2,690
			BL	9 300 496	4	2,690
			CP	9 300 524	4	2,690
Gola profile (Vertical application)	 Single side L profile	3000	SA	9 293 473	4	1,595
			SS	9 302 256	4	2,390
			BL	9 300 494	4	2,390
			CP	9 300 523	4	2,390



Items marked with \* are available on request

• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black

# Aluminium Profile Collection

- ▶ Special Profiles
- ▶ Gola Profile for vertical use & Sink Counter Profile with Connectors

## Sink Counter Profile with Connectors



Description	Profile Section	Length (mm)	Finish	Article No.	PU	MRP
Sink counter profile		3000	SA	9 293 475	6	1,111




Items marked with \* are available on request

• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black

# Aluminium Profile Collection


## ► Profile Handles

### Eslinga G Profile




Details	Length (mm)	Finish	Article No.	PU	MRP
Profile height 40mm	3000	SA	9 283 502	04	2,240

### Eslinga Econ - G Profile




Details	Length (mm)	Finish	Article No.	PU	MRP
Profile height 35mm	3000	SA	9 283 503	04	1,631
	3000	CP	9 300 513	04	2,290
	3000	SS	9 299 210	04	2,290
	3000	BL	9 299 224	04	2,290

### Lutetia




Details	Length (mm)	Finish	Article No.	PU	MRP
Profile Ht- 28 mm	3000	SA	9 133 756	04	1,409

### Seveso - 17mm Panel



Details	Length (mm)	Finish	Article No.	PU	MRP
Profile height 38 for 17 mm thickness	2400	SA	1 161 199 *	06	982

### Seveso - 19mm Panels




Details	Length (mm)	Finish	Article No.	PU	MRP
for 19 mm thickness	2400	SA	1 161 200	06	1,001

• CP - Chrome • SS - Stainless steel • SA - Silver Anodized • BL - Black

# Aluminium Profile Collection


## ► Profile Handles

### Spira




Details	Length (mm)	Finish	Article No.	PU	MRP
Profile Ht- 43 mm	2000	SA	9 126 106	14	2,515
End Cap	-	-	9 126 165	20	277

### Calisia




Details	Length (mm)	Finish	Article No.	PU	MRP
	1950	SA	9 125 763	08	2,219

### Lindavia



Details	Length (mm)	Finish	Article No.	PU	MRP
for 19 mm board	2000	SA	9 125 832	12	1,559

### Ticinum



Details	Length (mm)	Finish	Article No.	PU	MRP
-	2000	SA	9 131 455	12	3,284

• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black



# Aluminium Profile Collection

## ► Sliding Doors

Aluminum Door Profiles for 2/3 Sliding Door Carcasses					
Description	Profile Section	Detail	Article No.	PU	MRP
Door Profile for door thick (15-16 mm)		Aluminum Silver Anodised Door Profile : 2050 mm (3 nos. for 2 door carcass ; 4 nos. for 3 door carcass)	9 117 416 *	04	2,061
Door Profile for door thick (18-19mm)		Aluminum Silver Anodised Door Profile : 2500 mm (3 nos. for 2 door carcass ; 4 nos. for 3 door carcass)	9 136 121	04	2,089
Door end profile, U shape for door thick. 15-16 mm (Aluminum silver)		Aluminum Silver Anodised Door End Profile: 2050 mm ( 2 nos. for 3 door carcass)	9 117 420 *	04	1,725
Door end profile, U shape for door thick. 18-19 mm (Aluminum silver)		Aluminum Silver Anodised Door End Profile: 2500 mm ( 2 nos. for 3 door carcass)	9 136 122 *	04	1,568
Carcass end Profile for Frontmost Door		Aluminum Silver Carcass End Profile (Frontmost Door) : 2100 mm (1 nos. for 2 door carcass ; 2 nos. for 3 door carcass)	9 117 463 *	04	1,885
Carcass end Profile for Frontmost Door		Aluminum Silver Carcass End Profile (Frontmost Door) : 2500 mm (1 nos. for 2 door carcass ; 2 nos. for 3 door carcass)	9 146 624 *	04	1,890
Carcass end Profile for Rearmost Door		Aluminum Silver Carcass End Profile (Rearmost Door) : 2100 mm (1 nos. for 2 door carcass)	9 117 462 *	04	1,251
Carcass end Profile for Rearmost Door		Aluminum Silver Carcass End Profile (Rearmost Door) : 2500 mm (1 nos. for 2 door carcass)	9 146 622 *	04	1,238

### Accessories for Aluminum Sliding door Profiles

Description	Profile Section	Detail	Length (mm)	Ht. (mm)	Article no.	PU	MRP
Brush Sealing Strip (Self Adhesive)		Self Adhesive Brush Sealing Strip (Grey) 3 nos. for 2 Door Carcass; 4 nos. for 3 door Carcass	2500	8	9 200 386	01	227
Brush Sealing Strip (Screw on)		Screw on Brush Sealing Strip (Brown)	2500	27	2 645 3	04	1,289

Items marked with \* are available on request


# Aluminium Profile Collection



## ► Connectors & Accessories

### Connectors for All Profiles








- Connectors to be procured separately with each profile
- It is used to fix profiles at 90° angle as shown in below figure



Description	Article No.	PU	MRP
Angle Connector Set (For all aluminum frame profiles) - 1 Set consists of 4 connectors & 8 Screws	9 303 247	30	110
Mid Way Joining profile Connector Set	9 153 818	10	106
Bracket for sink counter profile left 	9 293 678	50	26
Bracket for sink counter profile right 	9 293 699	50	26

### Gola Profile Accessories



Description	Profile Section	Compatible with	Side	Article No.	PU	MRP
Gola Profile End Cap for C Type with screws		SA & CP	Left	9 212 563	20	277
			Right	9 212 564	20	277
		SS	Left	9 218 244	20	278
			Right	9 218 245	20	278
		BL	Left	9 299 044	20	305
			Right	9 299 045	20	305
Gola Profile End Cap for L Type with screws		SA & CP	Left	9 212 565	20	277
			Right	9 212 566	20	277
		SS	Left	9 218 246	20	278
			Right	9 218 247	20	278
		BL	Left	9 299 042	20	305
			Right	9 299 043	20	305
Gola Outer Angle Profile Connector with screws		SA & CP		9 212 567	20	277
		SS		9 218 248	20	278
		BL		9 299 046	20	305
Gola Inner Angle Profile Connector with screws		SA & CP		9 212 568	20	376
		SS		9 218 269	20	376
		BL		9 299 047	20	425
Gola L Connector set with screws		-		9 220 600	20	46

• CP – Chrome • SS – Stainless steel • SA – Silver Anodized • BL – Black


# Aluminium Profile Collection

## ► Hinges and Accessories




### Hinges for 19 mm Aluminum Profile

Description	Images	Item Details	Article No.	Unit	PU	MRP
Intermat 9936 (Opening Angle 95°)		Base 13.5 (Crank 0°) with Mounting Plate (D 0 mm)	9242896	Set	10	466
		9.5 Crank Intermat 9936 with Mounting Plate (Child Code)	77728 + 72983*	Pc	50	218 + 16
		16 Crank Intermat 9936 with Mounting Plate (Child Code)	77729 + 72983 *	Pc	50	244 + 16
Sensys 8638i (Opening Angle 95°)		0 Crank Sensys 8638i with Mounting Plate	9243057	Set	100	833
		9.5 Crank Sensys 8638i with Mounting Plate (Child Code)	9072525 + 9091575 *	Pc	50	540 + 24
		16 Crank Sensys 8638i with Mounting Plate (Child Code)	9072526 + 9091575 *	Pc	50	563 + 24

### Hinges for 45 mm Aluminum Profile

Intermat 9924 (Opening Angle 95°)  Cup Dia - 26mm		0 Crank Intermat 9924 with Mounting Plate (Child Code)	72959 + 72983 *	Pc	50	246 + 16
		9.5 Crank Intermat 9924 with Mounting Plate (Child Code)	72965 + 72983 *	Pc	50	263 + 16
		16 Crank Intermat 9924 with Mounting Plate (Child Code)	72966 + 72983 *	Pc	50	280 + 16

### Hinges for 55 mm Aluminum Profile

Intermat 9943 (Opening Angle 95°) Cup Dia - 35mm		Base 12.5 (Crank 0°) with Mounting Plate (D 0 mm)	9242871	Set	100	252
		Base 3 (Crank 9.5°) with Mounting Plate (D 0 mm)	9242872	Set	100	278
		Base -3.5 (Crank 16°) with Mounting Plate (D 0 mm)	9242873	Set	100	284
Onsys 4447i (Opening Angle 105°)		Onsys Hinge - 25 mm - 0 Crank with ounting plate and cover caps	9281432	Set	50	342
		Onsys Hinge - 25 mm - 9.5 Crank with mounting plate and cover caps	9281434	Set	50	376
		Onsys Hinge - 25 mm - 16 Crank with mounting plate and cover caps	9281436	Set	50	410
Sensys 8645i (Opening Angle 110°)		0 Crank Sensys 8645i with Mounting Plate	9242917	Set	100	562
		9.5 Crank Sensys 8645i with Mounting Plate	9242919	Set	100	600
		16 Crank Sensys 8645i with Mounting Plate	9242921	Set	100	638

Items marked with \* are available on request

# Notes

A series of horizontal dotted lines for writing notes.

**Registered & Head Office:**  
**Hettich India Private Limited**  
302, Duro-lite House,  
Opp. SAB TV, New Link Road,  
Andheri (West), Mumbai - 400 053  
Phone: +91 22 2674 3289/3356/4089  
Fax: +91 22 2674 3267

**Delhi Office:**  
**Hettich India Private Limited**  
A-26/4, 1st floor,  
Moham Co-operative Industrial Estate,  
New Delhi - 110 044  
Phone: +91 11 4889 4000, 4889 4005  
Fax: +91 11 4889 4044

**Production Site - Vadodara:**  
**Hettich India Private Limited**  
Plot No. 304, Dhanora,  
Nandesari Road,  
Near ECPL,  
Village - Dhanora - 391 346  
Dist. - Vadodara, Gujarat

**Production Site - Indore:**  
**Hettich India Private Limited**  
Plot No 1, Sector 5,  
Mhow - Neemuch Road,  
Opp Lupin Ltd, Pithampur Industrial,  
Pithampur - 454 774  
Madhya Pradesh

04\_2021

## Application Centres:

**Bangalore:**  
Adventz Center, Ground Floor 28,  
Cubbon Road, Shivaji Nagar,  
Bangalore - 560 001  
Ph. No. : +91 80 4530 0400,  
+91 80 4530 0401

**Mumbai:**  
202/302, Duro-lite House, Opp. SAB TV,  
New Link Road, Andheri ( West),  
Mumbai - 400 053  
Ph.No. : +91 22 2639 9707

**New Delhi:**  
61, Panchkuian Road,  
New Delhi - 110 001  
Ph. No. : +91 11 2358 0713,  
+91 11 2358 4603

**Chennai:**  
"Heavitree", Ground Floor,  
47, Spur Tank Road,  
Chetpet, Chennai - 600 031  
Ph. No. : +91 44 4263 7227

**Ahmedabad:**  
1st Floor, Unit No. 102,  
Safal Pegasus, Anand Nagar,  
Ahmedabad - 380 015,  
Ph. No. : +91 79 4032 2824

**Chandigarh:**  
2nd Floor, Aspire Tower, Plot no. 55,  
Industrial & Business park, Phase 1,  
Chandigarh - 160 002  
Ph. No. : +91 172 5012 347

**Hyderabad:**  
" Sai Krishna "  
797 - A, 2nd Floor,  
Road No. 36, Jubilee Hills,  
Hyderabad - 500 034  
Ph. No. : +91 40 2355 8994

**Indore:**  
Office No.106 and 107-A,  
"Brilliant Titanium",  
Plot No.9, Scheme No.78, Part-II,  
Indore - 452 010  
Ph. No. : +91 96 9168 4480

**Kolkata:**  
2nd Floor, Unit Number 2A,  
Tirumala 22,  
East Topsia Road,  
Kolkata - 700 046  
Ph. No. : +91 98310 12054

**Kochi:**  
41/2062D, 2nd Floor  
Palarivattom signal  
junction, NH 47 By-pass,  
Kochi - 682 028  
Ph. No. : +91 48 4402 8242

**Pune:**  
Server Spacer ,  
Survey No. 127/1A ,  
Plot No. 8, Off. ITI Road, Aundh,  
Pune - 411 007  
Ph. No : +91 72 0847 6557

**Enquiry & Customer Services**  
Toll Free : 1800 209 2096 (office hours)  
Email: sales\_enquiry@in.hettich.com  
customer\_services@in.hettich.com  
www.hettich.com

**Training Centre Address:**  
Hettich Poddar Wood Work Institute  
Plot No.2, 1st Floor, DLF Industrial Estate-1  
Near NHPC Metro Station,  
Faridabad- Haryana  
Ph: +91 129 4203888  
Email: info@hpwwi.com

Technik für Möbel

  
**Hettich**